

1                   **Update of the Best Practice Dietetic Management**  
2                   **of Overweight and Obese Children and Adolescents:**  
3                   **a Systematic Review Protocol**

4  
5 Vanessa A. Shrewsbury<sup>1</sup>, Tracy Burrows<sup>1</sup>, Mandy Ho<sup>2</sup>, Megan Jensen<sup>3</sup>, Sarah P. Garnett<sup>4</sup>, Laura  
6 Stewart<sup>5</sup>, Megan L. Gow<sup>4</sup>, Louisa J. Ells<sup>6,11</sup>, Li Kheng Chai<sup>1</sup>, Lee Ashton<sup>1</sup>, Jacqueline L. Walker<sup>7</sup>, Robyn  
7 Littlewood<sup>8</sup>, Daisy Coyle<sup>1</sup>, Paulina Nowicka<sup>9</sup>, Amy Ashman<sup>1</sup>, Alessandro Demaio<sup>10</sup>, Kerith Duncanson<sup>1</sup>,  
8 Clare Collins<sup>1,12</sup>.

- 9           1. School of Health Sciences, Faculty of Health and Medicine, Priority Research Centre in  
10           Physical Activity and Nutrition, The University of Newcastle, Callaghan NSW 2308, Australia.  
11           2. School of Nursing, The University of Hong Kong, Pokfulam, Hong Kong.  
12           3. Priority Research Centre Grow Up Well & Faculty of Health and Medicine, The University of  
13           Newcastle, Callaghan NSW 2308, Australia.  
14           4. Institute of Endocrinology and Diabetes, The Children's Hospital at Westmead, Discipline of  
15           Child and Adolescent Health, The Children's Hospital at Westmead Clinical School, University  
16           of Sydney, Westmead NSW 2145, Australia.  
17           5. Nutrition and Dietetic Service, NHS Tayside, Perth Royal Infirmary, Perth PH1 1NX, United  
18           Kingdom.  
19           6. School of Health and Social Care, Teesside University, Middlesbrough TS1 3BA, United  
20           Kingdom.  
21           7. School of Human Movement and Nutrition Sciences, The University of Queensland, St Lucia  
22           QLD 4072, Australia.  
23           8. Dietetics and Food Services, Lady Cilento Children's Hospital, Children's Health Queensland  
24           Hospital and Health Service, South Brisbane QLD 4101, Australia.  
25           9. Unit of Pediatrics, Department of Clinical Science, Intervention and Technology, Karolinska  
26           Institutet, Stockholm, Sweden. Department of Food, Nutrition and Dietetics, Uppsala University,  
27           Uppsala, Sweden.  
28           10. Evidence and Programme Guidance, Department of Nutrition for Health and Development,  
29           World Health Organization, Geneva, Switzerland.

30           **JBI affiliations:**

- 31           11. Teesside Centre for Evidence Informed Practice: An Affiliated Group of the Joanna Briggs  
32           Institute.  
33           12. The University of Newcastle Centre for Evidence Based Healthcare Informing Research  
34           (CEBHIR): A Joanna Briggs Institute Centre of Excellence.  
35

36  
37           **Corresponding author:** Professor Clare Collins, Email: [Clare.Collins@newcastle.edu.au](mailto:Clare.Collins@newcastle.edu.au)

38

39 **Funding:** This protocol was prepared with the support of a National Health and Medical Research  
40 Council Senior Research Fellowship (Collins C), a Gladys M. Brawn Senior Research Fellowship  
41 (Collins C) and a Gladys M. Brawn Fellowship support package (Duncanson K, Shrewsbury VA).

42

### 43 **Review objective**

44 To update an existing systematic review series<sup>1,2</sup> of randomized controlled trials (RCT) that include a  
45 dietary intervention for the management of overweight or obesity in children or adolescents.

46

### 47 **Research Questions**

48 In RCTs of interventions which include a dietary intervention for the management of overweight or  
49 obesity in children or adolescents:

- 50 • what impact do these interventions have on participants' adiposity and dietary outcomes?
- 51 • what are the characteristics or intervention components that predict adiposity reduction or  
52 improvements in dietary outcomes?

53

### 54 **Background**

55 Over the past four decades overweight and obesity prevalence has increased globally in children.<sup>3</sup> Once  
56 considered a problem only in high-income countries, prevalence of overweight and obesity is increasing  
57 in low- and middle-income countries, particularly in urban settings. The magnitude of these changes  
58 are such that in 1980, 8% and 16% of children from developing and developed countries, respectively,  
59 were overweight (including obese), and by 2013 these rates had increased to around 13% and 23-24%,  
60 respectively.<sup>3</sup> At the upper-end of the weight spectrum, recent estimates suggest that worldwide in  
61 2015, 107.7 million (~5%) children under 20 years of age were obese<sup>4</sup>, and in 2016, 41 million (~6%)  
62 children under five years of age were classified as having moderate-severe overweight.<sup>5</sup>

63 Overweight, and especially obesity, in childhood is a significant public health issue due to its impact on  
64 health and quality of life in childhood<sup>6</sup> and its propensity to persist into adulthood.<sup>7</sup> Aside from the impact  
65 of overweight and obesity on individuals, its global economic impact is estimated to be in the order of  
66 trillions of dollars annually.<sup>8</sup> The health consequences of childhood overweight and obesity that may  
67 present in childhood include: delayed motor development, asthma, obstructive sleep apnoea,  
68 dysglycemia and type 2 diabetes, elevated blood pressure, dyslipidemia, chronic inflammation,  
69 muscular skeletal problems, accelerated maturation, psychological difficulties and disorders, non-  
70 alcoholic fatty liver disease, gastroenterological problems and reproductive problems.<sup>6</sup> In adults,  
71 overweight and obesity is associated with increased risk of all-cause mortality,<sup>9,10</sup> and the incidence of

72 numerous co-morbidities including type 2 diabetes, various types of cancer, cardiovascular diseases,  
73 asthma, gallbladder disease, osteoarthritis and chronic backpain.<sup>11</sup>

74 While prevention must remain the key focus for medical and public health communities responding to  
75 child and adolescent overweight and obesity, effective strategies are required for populations already  
76 affected. The cornerstone of managing child and adolescent overweight and obesity is family-centered,  
77 multicomponent lifestyle intervention based on dietary, physical activity and behavioral modification.<sup>12,13</sup>  
78 Lifestyle interventions can reduce body mass index (BMI), and improve other cardiometabolic outcomes  
79 including blood lipids, fasting insulin and glucose, and blood pressure in children and adults.<sup>14-19</sup>

80 In 2007 our original systematic review on best practice dietetic management of overweight and obese  
81 children and adolescents was published,<sup>1</sup> and the first update was published in 2013.<sup>2</sup> Data gathered  
82 in those reviews also formed the basis of several secondary reviews on related topics.<sup>14-15, 20-22</sup> This  
83 series of reviews has been widely cited in over 125 peer-reviewed publications. Given the prevalence  
84 of overweight and obesity in childhood remains at a historical high, and the seriousness of its  
85 consequences, a second update of our review on best practice dietetic management of overweight and  
86 obese children and adolescents is warranted. In parallel, a series of Cochrane reviews on interventions  
87 for the treatment of child and adolescent overweight and obesity management were published between  
88 2003 and 2017, those reviews included but were not restricted to interventions that featured a dietary  
89 component.<sup>23-30</sup> There is some overlap between our series of reviews and the Cochrane review series  
90 with regards to the reporting of adiposity outcomes. However, the novel aspect of our primary  
91 systematic review and its update<sup>1,2</sup> is that we examine in detail the dietary outcomes of the included  
92 dietary interventions, and also the characteristics of these interventions which are associated with  
93 improvement in adiposity and dietary outcomes.

94 This second update of our review on best practice dietetic management of overweight and obese  
95 children and adolescents will provide key information to inform clinical practice guideline and policy  
96 development. It will also identify gaps in the evidence base requiring further research and potential  
97 areas where innovations in dietary management are needed to improve adiposity and dietary outcomes.  
98 This protocol is based on that used for the first update of this review.<sup>31</sup> The methods described in this  
99 protocol were guided by the Joanna Briggs Institute Reviewer's Manuals<sup>32-33</sup> and recommendations for  
100 updating systematic reviews.<sup>34</sup>

101

## 102 **Keywords**

103 Child; adolescent; dietary intervention; obesity; randomized controlled trial

104

105

106 **Inclusion criteria**

107 As this is an updated systematic review the inclusion criteria are based on the criteria used in our  
108 previous reviews<sup>1,2</sup> and which are specified in our previous protocol.<sup>31</sup>

109 ***Types of participants***

110 This review will include interventions targeting children or adolescents who at baseline are less than 20  
111 years of age, and who are defined as overweight or obese.

112 Participants will be free living outpatients or inpatients in obesity clinical units or attending community  
113 programs, camps, school or one-off programs. Interventions directed exclusively at parents of eligible  
114 participants will also be reviewed. Studies will be excluded if they focus on children or adolescents with  
115 obesity attributable to a secondary or syndromal cause with the exception of Type 2 Diabetes Mellitus  
116 or its precursor states.

117 ***Types of intervention***

118 Nutrition or dietary interventions of interest will be those used for the treatment of elevated body weight.  
119 Interventions will include but not be limited to those provided by:

- 120       • a dietitian solely;
- 121       • a dietitian and other health professionals; or
- 122       • other professionals including obesity clinics, practice nurses, GPs, commercial programs, train-  
123       the-trainer, community groups, gyms, schools or via the internet, telephone or mail.

124 The intervention focus may be described as: lifestyle modification, including modification of dietary  
125 intake alone (inclusive of meal replacements and dietary supplements), or combined with cognitive  
126 behavioral therapy and/or physical activity and/or sedentary behavior modification and/or  
127 pharmacotherapy and/or a surgical intervention.

128 Childhood obesity prevention RCTs will be excluded. For the purpose of this review obesity prevention  
129 interventions are defined as the implementation of strategies to limit excess weight gain in samples that  
130 include healthy weight children or adolescents.

131 ***Types of comparator groups***

132 Acceptable control groups will include no treatment/wait-list control, usual care, a lower dose or intensity  
133 of treatment (e.g. minimal advice, written education materials) or an alternative treatment.

134 ***Types of outcomes***

135 Measures of outcome will include but not be limited to changes in:

- 136 • anthropometry, including BMI, age and/or sex standardized BMI measures (e.g. BMI z-score,  
137 BMI percentile), % overweight for age, waist measurement, or skinfolds;
- 138 • clinical indicators of weight changes (e.g. serum cholesterol, plasma insulin and glucose, or  
139 blood pressure);
- 140 • body composition, including % body fat or % lean body mass; or
- 141 • any measure related to diet, nutrition or eating. For example dietary intake, dietary behaviors,  
142 nutrition knowledge and attitudes, social cognitive theory constructs that relate to eating  
143 behaviors (e.g. eating intentions, self-efficacy in making food choices).

#### 144 **Types of studies**

145 Given the large volume of RCTs identified by our previous reviews,<sup>1,2</sup> this review will only include RCTs  
146 published in the peer-reviewed literature.

147

#### 148 **Search strategy**

149 The search strategy is based on the previous search strategy used in 2010,<sup>2,31</sup> and is shown in Appendix  
150 1. The only deviation from the 2010 strategy will be that two databases searched in 2010 (shown with  
151 an asterisk) will be replaced with more relevant databases, as recommended by the Senior Research  
152 Librarian who will implement the literature search strategy. The databases that will be searched are:  
153 CINAHL, MEDLINE, PreMEDLINE, Cochrane Library (all databases), Embase, Informit Health  
154 Collection (instead of AUSTROM\*), Dissertations and Theses, and Scopus (instead of Current  
155 Contents\*). To identify additional eligible studies, we will also examine the reference lists of the most  
156 recent Cochrane review series, published between 2015 and 2017, on interventions for treating child  
157 and adolescent overweight and obesity.<sup>25-30</sup>

158 All citations identified through the search strategy will be imported into Covidence.<sup>35</sup> Initially two  
159 reviewers will use Covidence to independently screen studies for eligibility against the inclusion criteria,  
160 based on information contained in the title and abstract. Full texts of all potentially relevant articles will  
161 then be retrieved and uploaded to Covidence. Two reviewers will examine the full text articles through  
162 Covidence and will independently designate if the study meets the inclusion criteria. Conflicts in  
163 eligibility decisions will be resolved by a third reviewer.

164

#### 165 **Assessment of methodological quality**

166 All studies that meet the inclusion criteria for this review will be independently assessed for  
167 methodological quality by two reviewers, using the JBI Critical Appraisal Checklist for RCTs.<sup>36</sup> We will  
168 modify item 11, so that item 11a will be "Were adiposity-related outcomes measured in a reliable way?"  
169 and item 11b will be "Were dietary outcomes measured in a reliable way?". Responses will be recorded  
170 in a Microsoft Excel spreadsheet. Any disagreements that arise between the reviewers will be resolved

171 through discussion, or with a third reviewer. These assessments will be used to develop statements on  
172 the quality of the included studies with a clear indication of the risks of bias present.

173

## 174 **Data extraction**

175 Data will be extracted from studies included in the review using a standardized data extraction tool in  
176 the form of a Microsoft Excel spreadsheet. The tool will include all the items on the JBI Data Extraction  
177 Form for Experimental / Observational Studies<sup>32</sup> and additional items considered pertinent to the  
178 assessment of methodological quality and data synthesis. One reviewer will extract the required data  
179 and a second reviewer will check the first reviewer's extraction for accuracy and completeness. If there  
180 is disagreement between reviewers regarding the extracted data, a third reviewer will be consulted. If  
181 additional information about an included study is required then authors of the study will be contacted.

182

## 183 **Data synthesis**

184 Results of comparable RCTs will be pooled in a meta-analysis to determine the effectiveness of the  
185 intervention. Comparability of the studies will be defined by the population, interventions, comparator  
186 groups and outcome measures. Review Manager will be used to perform meta-analyses.<sup>37</sup> Chi square  
187 and visual interpretation of graphs will be used to assess heterogeneity. Significant heterogeneity will  
188 be defined when the p value is less than 0.05. Odds ratio will be used to summarize effect for  
189 dichotomous data, while the weighted mean difference or standardized mean difference will be used  
190 for continuous data. Where statistical pooling is not possible the findings will be presented in narrative  
191 form including tables and figures to aid in data presentation where appropriate. The Preferred Reporting  
192 Items for Systematic Reviews and Meta-Analyses (PRISMA) statement will be used in preparation of  
193 the final report.<sup>38</sup> A GRADE 'Summary of Findings' table will be compiled following the guidance in the  
194 GRADE handbook.<sup>39</sup>

195

## 196 **Conflicts of interest**

197 None to declare.

198 Dr Alessandro Demaio is a staff member of the World Health Organization in Geneva. He alone is  
199 responsible for the views expressed in this publication and they do not necessarily represent the  
200 decisions or policies of any third party.

201

## 202 **Acknowledgements**

203 We thank Senior Research Librarian Debbie Booth at the University of Newcastle Australia for assisting  
204 with the development of the literature search strategy.

205 **References**

- 206 1. Collins CE, Warren JM, Neve M, McCoy P, Stokes B. Systematic review of interventions in the  
 207 management of overweight and obese children which include a dietary component. *JBI Libr Syst*  
 208 *Rev.* 2007;5(1):1-70.
- 209 2. Ho M, Jensen ME, Burrows T, Neve M, Garnett SP, Baur L et al. Best practice dietetic management  
 210 of overweight and obese children and adolescents: a 2010 update of a systematic review. *JBI*  
 211 *Database of System Rev Implement Rep.* 2013; 11(10):190-293.
- 212 3. Ng M, Fleming T, Robinson M, Thomson B, Graetz N, Margono C et al. Global, regional, and  
 213 national prevalence of overweight and obesity in children and adults during 1980-2013: a  
 214 systematic analysis for the Global Burden of Disease Study 2013. *Lancet.* 2014 Aug  
 215 30;384(9945):766-81.
- 216 4. GBD 2015 Obesity Collaborators, Afshin A, Forouzanfar MH, Reitsma MB, Sur P, Estep K et al.  
 217 Health effects of overweight and obesity in 195 countries over 25 years. *N Engl J Med.* 2017 Jul  
 218 6;377(1):13-27.
- 219 5. World Health Organization. Global database on child growth and malnutrition. Accessed August 7,  
 220 2017. Available from: <http://www.who.int/nutgrowthdb/estimates/en/>
- 221 6. World Health Organization (WHO). Consideration of the evidence on childhood obesity for the  
 222 Commission on Ending Childhood Obesity: report of the ad hoc working group on science and  
 223 evidence for ending childhood obesity. WHO. Geneva, 2016. Accessed August 7, 2017. Available  
 224 from: [http://apps.who.int/iris/bitstream/10665/206549/1/9789241565332\\_eng.pdf](http://apps.who.int/iris/bitstream/10665/206549/1/9789241565332_eng.pdf)
- 225 7. Simmonds M, Llewellyn A, Owen CG, Woolacott N. Predicting adult obesity from childhood obesity:  
 226 a systematic review and meta-analysis. *Obes Rev.* 2016 Feb;17(2):95-107.
- 227 8. Dobbs R, Sawers C, Thompson F, et al. Overcoming obesity: an initial economic assessment. A  
 228 discussion paper by the McKinsey Global Institute. November, 2014. Accessed August 7, 2017.  
 229 Available from: [http://www.mckinsey.com/industries/healthcaresystems-and-services/our-](http://www.mckinsey.com/industries/healthcaresystems-and-services/our-insights/how-the-world-could-better-fightobesity)  
 230 [insights/how-the-world-could-better-fightobesity](http://www.mckinsey.com/industries/healthcaresystems-and-services/our-insights/how-the-world-could-better-fightobesity).
- 231 9. Aune D, Sen A, Prasad M, Norat T, Janszky I, Tonstad S et al. BMI and all cause mortality:  
 232 systematic review and non-linear dose-response meta-analysis of 230 cohort studies with 3.74  
 233 million deaths among 30.3 million participants. *BMJ.* 2016 May;353:i2156.
- 234 10. Global BMI Mortality Collaboration, Di Angelantonio E, Bhupathiraju ShN, Wormser D, Gao P,  
 235 Kaptoge S et al. Body-mass index and all-cause mortality: individual-participant-data meta-analysis  
 236 of 239 prospective studies in four continents. *Lancet.* 2016 Aug 20;388(10046):776-86.
- 237 11. Guh DP, Zhang W, Bansback N, Amarsi Z, Birmingham CL, Anis AH. The incidence of co-  
 238 morbidities related to obesity and overweight: a systematic review and meta-analysis. *BMC Public*  
 239 *Health.* 2009 Mar 25;9:88.
- 240 12. World Health Organization (WHO). Report of the Commission on Ending Childhood Obesity. WHO.  
 241 Geneva, 2016. Accessed August 7, 2017. Available from:  
 242 [http://apps.who.int/iris/bitstream/10665/204176/1/9789241510066\\_eng.pdf](http://apps.who.int/iris/bitstream/10665/204176/1/9789241510066_eng.pdf)
- 243 13. Styne DM, Arslanian SA, Connor EL, Farooqi IS, Murad MH, Silverstein JH et al. Pediatric obesity-  
 244 assessment, treatment, and prevention: An Endocrine Society clinical practice guideline. *J Clin*  
 245 *Endocrinol Metab.* 2017 Mar 1;102(3):709-757.

- 246 14. Ho M, Garnett SP, Baur L, Burrows T, Stewart L, Neve M et al. Effectiveness of lifestyle  
 247 interventions in child obesity: systematic review with meta-analysis. *Pediatrics*. 2012  
 248 Dec;130(6):e1647-71.
- 249 15. Ho M, Garnett SP, Baur LA, Burrows T, Stewart L, Neve M et al. Impact of dietary and exercise  
 250 interventions on weight change and metabolic outcomes in obese children and adolescents: a  
 251 systematic review and meta-analysis of randomized trials. *JAMA Pediatr*. 2013 Aug 1;167(8):759-  
 252 68.
- 253 16. Rajjo T, Almasri J, Al Nofal A, Farah W, Alsawas M, Ahmed AT et al. The association of weight loss  
 254 and cardiometabolic outcomes in obese children: systematic review and meta-regression. *J Clin*  
 255 *Endocrinol Metab*. 2017 Mar 1;102(3):758-762.
- 256 17. Aucott L, Gray D, Rothnie H, Thapa M, Waweru C. Effects of lifestyle interventions and long-term  
 257 weight loss on lipid outcomes - a systematic review. *Obes Rev*. 2011 May;12(5):e412-25.
- 258 18. Aucott L, Rothnie H, McIntyre L, Thapa M, Waweru C, Gray D. Long-term weight loss from lifestyle  
 259 intervention benefits blood pressure?: a systematic review. *Hypertension*. 2009 Oct;54(4):756-62.
- 260 19. Terranova CO, Brakenridge CL, Lawler SP, Eakin EG, Reeves MM. Effectiveness of lifestyle-based  
 261 weight loss interventions for adults with type 2 diabetes: a systematic review and meta-analysis.  
 262 *Diabetes Obes Metab*. 2015 Apr;17(4):371-8.
- 263 20. Collins CE, McCoy P, Neve M, Stokes B, Warren J. Measuring effectiveness of dietetic interventions  
 264 in child obesity: A systematic review of randomized trials. *Arch Pediatr Adolesc Med*, 2006; 160  
 265 (9):906-22.
- 266 21. Collins CE, Warren JM, Neve M, McCoy P, Stokes B. Systematic review of interventions in the  
 267 management of overweight and obese children which include a dietary component. *Int J Evid Based*  
 268 *Healthc*. 2007 Mar;5(1):2-53.
- 269 22. Gow ML, Ho M, Burrows TL, Baur LA, Stewart L, Hutchesson MJ et al. Impact of dietary  
 270 macronutrient distribution on BMI and cardiometabolic outcomes in overweight and obese children  
 271 and adolescents: a systematic review. *Nutr Rev*. 2014 Jul;72(7):453-70.
- 272 23. Summerbell CD, Ashton V, Campbell KJ, Edmunds L, Kelly S, Waters E. Interventions for treating  
 273 obesity in children. *Cochrane Database Syst Rev*. 2003;(3):CD001872.
- 274 24. Oude Luttikhuis H, Baur L, Jansen H, Shrewsbury VA, O'Malley C, Stolk RP, Summerbell CD.  
 275 Interventions for treating obesity in children. *Cochrane Database Syst Rev*. 2009 Jan  
 276 21;(1):CD001872.
- 277 25. Al-Khudairy L, Loveman E, Colquitt JL, Mead E, Johnson RE, Fraser H et al. Diet, physical activity  
 278 and behavioural interventions for the treatment of overweight or obese adolescents aged 12 to 17  
 279 years. *Cochrane Database Syst Rev*. 2017 Jun 22;6:CD012691.
- 280 26. Mead E, Brown T, Rees K, Azevedo LB, Whittaker V, Jones D et al. Diet, physical activity and  
 281 behavioural interventions for the treatment of overweight or obese children from the age of 6 to 11  
 282 years. *Cochrane Database Syst Rev*. 2017 Jun 22;6:CD012651.
- 283 27. Mead E, Atkinson G, Richter B, Metzendorf MI, Baur L, Finer N et al. Drug interventions for the  
 284 treatment of obesity in children and adolescents. *Cochrane Database Syst Rev*. 2016 Nov  
 285 29;11:CD012436.
- 286 28. Colquitt JL, Loveman E, O'Malley C, Azevedo LB, Mead E, Al-Khudairy L et al. Diet, physical  
 287 activity, and behavioural interventions for the treatment of overweight or obesity in preschool  
 288 children up to the age of 6 years. *Cochrane Database Syst Rev*. 2016 Mar 10;3:CD012105.



- 289 29. Loveman E, Al-Khudairy L, Johnson RE, Robertson W, Colquitt JL, Mead EL et al. Parent-only  
290 interventions for childhood overweight or obesity in children aged 5 to 11 years. Cochrane Database  
291 Syst Rev. 2015 Dec 21;(12):CD012008.
- 292 30. Ells LJ, Mead E, Atkinson G, Corpeleijn E, Roberts K, Viner R et al. Surgery for the treatment of  
293 obesity in children and adolescents. Cochrane Database Syst Rev. 2015 Jun 24;(6):CD011740.
- 294 31. Collins C, Burrows T, Stewart L, Garnett S, Ho M, Baur L. Systematic review protocol best practice  
295 dietetic management of overweight and obese children and adolescents. JBI Libr Syst Rev.  
296 2010;8(16 Suppl):1-14.
- 297 32. The Joanna Briggs Institute. Joanna Briggs Institute Reviewers' Manual: 2014 edition. 2014.  
298 Adelaide; Australia.
- 299 33. Aromataris E, Munn Z (Editors). Joanna Briggs Institute Reviewer's Manual. The Joanna Briggs  
300 Institute, 2017.
- 301 34. Garner P, Hopewell S, Chandler J, MacLehose H, Schünemann HJ, Akl EA, et al. When and how  
302 to update systematic reviews: consensus and checklist. BMJ. 2016 Jul 20;354:i3507.
- 303 35. Covidence systematic review software, Veritas Health Innovation, Melbourne, Australia. Accessed  
304 August 7, 2017. Available from: [www.covidence.org](http://www.covidence.org)
- 305 36. The Joanna Briggs Institute. The Joanna Briggs Institute Critical Appraisal tools for use in JBI  
306 Systematic Reviews: Checklist for Randomized Controlled Trials. Accessed August 7, 2017.  
307 Accessed from: <http://joannabriggs.org/research/critical-appraisal-tools.html>
- 308 37. Review Manager 5. Accessed August 7, 2017. Accessed from:  
309 <http://community.cochrane.org/tools/review-production-tools/revman-5>
- 310 38. Preferred Reporting Items for Systematic Reviews and Meta-Analyses (PRISMA). Accessed  
311 August 7, 2017. Available from: <http://www.prisma-statement.org/>
- 312 39. Schünemann H, Brožek J, Guyatt G, Oxman A (editors). GRADE Handbook. Handbook for  
313 grading the quality of evidence and the strength of recommendations using the GRADE approach.  
314 Updated October 2013. Accessed December 14, 2017. Available from  
315 <https://gdt.gradepro.org/app/handbook/handbook.html>

316 **Appendix 1. Literature search strategies**

317

318 **Database(s): Epub Ahead of Print, In-Process & Other Non-Indexed Citations, Ovid MEDLINE(R)**  
 319 **Daily and Ovid MEDLINE(R)**

#	Searches
1	*Obesity/dh, dt, pc, rh, su, th [Diet Therapy, Drug Therapy, Prevention & Control, Rehabilitation, Surgery, Therapy]
2	intervention.mp.
3	weight control.mp.
4	weight management.mp.
5	weight loss.mp.
6	healthy weight.mp.
7	(family or parent* or school).mp.
8	weight reduction program*.mp.
9	(dietitian* or dietician*).mp.
10	2 or 3 or 4 or 5 or 6 or 7 or 8 or 9
11	(child or children or adolescen*).mp.
12	1 and 10 and 11
13	limit 12 to english language
14	limit 13 to ed=20100907-present

320

321

322

323 **Database(s): Embase Classic+Embase**

#	Searches
1	*obesity/dt, pc, rh, su, th, dm [Drug Therapy, Prevention, Rehabilitation, Surgery, Therapy, Disease Management]
2	intervention.mp.
3	weight control.mp.
4	weight management.mp.

5	weight loss.mp.
6	healthy weight.mp.
7	(family or parent* or school).mp.
8	weight reduction program*.mp.
9	(dietitian* or dietician*).mp.
10	2 or 3 or 4 or 5 or 6 or 7 or 8 or 9
11	(child or children or adolescen*).mp.
12	1 and 10 and 11
13	limit 12 to english language
14	limit 13 to dd=20100907-present

324

325 **CINAHL**

#	Query
S1	(MH "Obesity/TH/RH/SU/DH/DE/PC")
S2	intervention
S3	weight control
S4	weight management
S5	weight loss
S6	healthy weight
S7	(family or parent* or school)
S8	weight reduction program*
S9	(dietitian* or dietician*)
S10	S2 OR S3 OR S4 OR S5 OR S6 OR S7 OR S8 OR S9
S11	(child or children or adolescen*)
S12	S1 AND S10 AND S11 (limited to English and September 2010+)

326

327

328 **Dissertations and Theses**

329 ti(obes\*) AND ti(child\* OR adolesc\*) AND ti(dieti\* OR intervention OR treatment OR weight control OR  
 330 weight management OR weight loss OR healthy weight OR weight reduction program\*). Limited to  
 331 English and 2010+

332

333 **Cochrane Library**

334 **ID Search**

335 #1 MeSH descriptor: [Obesity] explode all trees and with qualifier(s): [Diet therapy - DH, Drug  
336 therapy - DT, Prevention & control - PC, Rehabilitation - RH, Surgery - SU, Therapy - TH]  
337 6483

338 #2 intervention

339 #3 weight control

340 #4 weight management

341 #5 weight loss

342 #6 healthy weight

343 #7 (family or parent\* or school)

344 #8 weight reduction program\*

345 #9 (dietitian\* or dietician\*)

346 #10 {or #2-#9}

347 #11 child or children or adolescen\*

348 **#12 {and #1, #10-#11} Publication Year from 2010**

349

350 **Informit Health Collection**

351 obes\* AND (child\* OR adolescen\*) AND (dietitian\* OR dietician\* OR intervention OR "weight  
352 control" OR "weight management" OR "weight loss" or "healthy weight" OR family OR parent\* OR  
353 school OR "weight reduction program\*")

354 Limited to 2010-

355

356 **Scopus**

357 ( TITLE ( obes\* ) AND TITLE ( child\* OR adolescen\* ) AND TITLE ( dietitian\* OR dietician\*  
358 OR intervention OR "weight control" OR "weight management" OR "weight loss" OR "healthy  
359 weight" OR family OR parent\* OR school OR "weight reduction  
360 program\*") ) AND PUBYEAR > 2009 AND ( LIMIT-TO ( LANGUAGE , "English" ) )